



Quick Reference Guide HEDIS[®] MY 2023

FOR MORE INFORMATION, VISIT WWW.NCQA.ORG

Ambetter of Tennessee is underwritten by Celtic Insurance Company, which is a Qualified Health Plan issuer in the Tennessee Health Insurance Marketplace. This is a solicitation for insurance.

HEDIS® is a registered trademark of the National Committee for Quality Assurance (NCQA). The HEDIS measures and specifications were developed by and are owned by NCQA. NCQA holds a copyright in these materials and may rescind or alter these materials at any time. Users of the HEDIS measures and specifications shall not have the right to alter, enhance, or otherwise modify the HEDIS measures and specifications, and shall not disassemble, recompile, or reverse engineer the HEDIS measures and specifications. Anyone desiring to use or reproduce the materials, subject to licensed user restrictions, without modification for an internal non-commercial purpose may do so without obtaining any approval from NCQA. Use of the Rules for Allowable Adjustments of HEDIS to make permitted adjustments of the materials does not constitute a modification. All other uses, including a commercial use, or any external reproduction, distribution, or publication must be approved by NCQA and are subject to a license at the discretion of NCQA.

HEDIS[®] MY 2023 Quick Reference Guide

Updated to reflect NCQA HEDIS[®] MY 2023 Technical Specifications

Ambetter strives to provide quality healthcare to our membership as measured through HEDIS[®] quality metrics. We created the HEDIS[®] MY 2023 Quick Reference Guide to help you increase your practice's HEDIS[®] rates and address care opportunities for your patients. Please always follow the state and/or CMS billing guidance and ensure the HEDIS[®] codes are covered prior to submission.



What is HEDIS[®]?

HEDIS[®] (Healthcare Effectiveness Data and Information Set) is a set of standardized performance measures developed by the National Committee for Quality Assurance (NCQA) to objectively measure, report, and compare quality across health plans. NCQA develops HEDIS[®] measures through a committee represented by purchasers, consumers, health plans, health care providers, and policy makers.



What are the scores used for?

As state and federal governments move toward a quality-driven healthcare industry, HEDIS[®] rates are becoming more important for both health plans and individual providers. State purchasers of healthcare use aggregated HEDIS[®] rates to evaluate health insurance companies' efforts to improve preventive health outreach for members.

Physician-specific scores are also used to measure your practice's preventive care efforts. Your practice's HEDIS[®] score determines your rates for physician incentive programs that pay you an increased premium — for example Pay For Performance or Quality Bonus Funds.



How are rates calculated?

HEDIS® rates can be calculated in two ways: administrative data or hybrid data. Administrative data consists of claim or encounter data submitted to the health plan. Hybrid data consists of both administrative data and a sample of medical record data. Hybrid data requires review of a random sample of member medical records to abstract data for services rendered but that were not reported to the health plan through claims/encounter data. Accurate and timely claim/encounter data reduces the need for medical record review. If services are not billed or not billed accurately, they are not included in the calculation.



How can I improve my HEDIS® scores?

- ✓ Submit claim/encounter data for each and every service rendered
- ✓ Make sure that chart documentation reflects all services billed
- ✓ Bill (or report by encounter submission) for all delivered services, regardless of contract status
- ✓ Ensure that all claim/encounter data is submitted in an accurate and timely manner
- ✓ Include CPT II codes to provide additional details and reduce medical record requests
- ✓ Respond timely to medical records requests
- ✓ Submit supplemental data throughout the measurement year
- ✓ Early Engagement with Pharmacy Adherence is key – once a member loses days on a prescription, those days cannot be recovered.
- ✓ Speak with the members about any barriers to adherence.
- ✓ Consider utilizing RxEffect – a free online portal for our network providers that will prioritize your high-risk patients more efficiently. This will save on resources as it lists your patients at highest risk for non-adherence.
- ✓ If you have any questions regarding pharmacy and member barriers, please reach out to your local Provider Relations Representative for assistance.





Updates to HEDIS® Measures

(effective for calendar year 2022 and 2023)

This guide has been updated with information from the release of the HEDIS® 2023 Volume 2 Technical Specifications by NCQA and is subject to change.



Retired Measures:

- (FVA) Flu Vaccinations for Adults Ages 18–64
- Breast Cancer Screening (BCS): no longer collected administratively; only the BCS-E measure will be reported.















Revised Measures:

- (FUA) Follow-Up After Emergency Department Visit for Substance Use
- (IET) Initiation and Engagement of Substance Abuse Disorder Treatment
- (BPD) Blood Pressure Control for Patients with Diabetes
- (EED) Eye Exam for Patients with Diabetes
- (HBD) Hemoglobin A1c Control for Patients with Diabetes
- (SPD) Statin Therapy for Patients with Diabetes
- (AMR) Asthma Medication Ratio
- (PCE) Pharmacotherapy Management of COPD Exacerbation
- (BCS-E) Breast Cancer Screening
- (CCS) Cervical Cancer Screening
- (PPC) Prenatal and Postpartum Care
- (PRS-E) Prenatal Immunization Status





Quick Reference Guide

Contents






Adult Health

 (AAP) Adults' Access to Preventive/Ambulatory Health Services	10
 (AIS) Adult Immunization Status	11
 (BPD) Blood Pressure Control for Patients with Diabetes	11
 (CBP) Controlling High Blood Pressure	13
 (COL) Colorectal Cancer Screening.....	14
 (EED) Eye Exam for Patients with Diabetes	15
 (HBD) Hemoglobin A1c Control for Patients with Diabetes	16
 (KED) Kidney Health Evaluation for Patients with Diabetes	18
 (PBH) Persistence of Beta-Blocker Treatment After a Heart Attack.....	19
 (PCE) Pharmacotherapy Management of COPD Exacerbation	20
 (SPC) Statin Therapy for Patients with Cardiovascular Disease.....	21
 (SPR) Use of Spirometry Testing in the Assessment and Diagnosis of COPD	22






Pharmacy Adherence Measures



 (DIAB) Adherence to Diabetes Medications – Measure Overview	23
 (RASA) Adherence to Hypertensive Medications – Measure Overview	24
 (STAT) Adherence to Cholesterol Medications – Measure Overview	25
 (SUPD) Statin Use in Persons with Diabetes – Measure Overview	26

Women’s Health



 (BCS-E) Breast Cancer Screening.....	27
 (CCS) Cervical Cancer Screening	28
 (CHL) Chlamydia Screening in Women.....	30
 (PPC) Prenatal and Postpartum Care	31
 (PRS-E) Prenatal Immunization Status	32

Pediatric Health


 (AAB) Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis	33
 (CIS) Childhood Immunization Status	34
 (IMA) Immunizations for Adolescents	36
 (LSC) Lead Screening in Children	36
 (URI) Appropriate Treatment for Upper Respiratory Infection	37

	(W30/WCV) Well-Child and Adolescent Well-Care Visits	37
	(WCC) Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents	39






General Health

	(AMR) Asthma Medication Ratio	40
	(CWP) Appropriate Testing for Pharyngitis	43

Social Determinants of Health

	(SDOH) Social Determinants of Health.....	44
---	---	-----------

Behavioral Health

	(ADD) Follow-up Care for Children Prescribed ADHD Medication	46
	(AMM) Antidepressant Medication Management	48
	(APM) Metabolic Monitoring for Children and Adolescents on Antipsychotics.....	49
	(FUH) Follow-Up After Hospitalization for Mental Illness	51
	(IET) Initiation and Engagement of Substance Use Disorder Treatment	54

For a complete list of codes, please visit the NCQA website at www.ncqa.org, or see the HEDIS value sets. Only subsets of the NCQA approved codes are listed in this document.

Adult Health

Call To Action: Please refer to the provider portal where you will find a complete list of member care gaps as applicable for the measures in this document.



(AAP) Adults' Access to Preventive/ Ambulatory Health Services

Measure evaluates the percentage of members 20 years and older who had an ambulatory or preventive care visit. Services that count include outpatient evaluation and management (E&M) visits, consultations, assisted living/home care oversight, preventive medicine, and counseling.

Tips:

- Assist or schedule member's appointments for Preventive Care Visits.
- Document the date and the type of visit.
- Submit the applicable codes.

CPT*	HCPCS*	ICD-10*
99202-99205, 99211-99215, 99241-99245, 99341-99345, 99347-99350, 99381-99387, 99391-99397, 99401-99404, 99411, 99412, 99429, 92002, 92004, 92012, 92014, 99304-99310, 99315, 99316, 99318, 99324-99328, 99334-99337, 98966-98968, 99441-99443, 98969, 98970, 98971, 98972, 99421, 99422, 99423, 99444, 99457, 99483	G0071, G0402, G0438, G0439, G0463, G2010, G2012, G2061, G2062, G2063, T1015, S0620, S0621	Z00.00, Z00.01, Z00.3, Z00.5, Z00.8, Z00.121, Z00.129, Z02.0, Z02.1, Z02.2, Z02.3, Z02.4, Z02.5, Z02.6, Z02.71, Z02.79, Z02.81, Z02.82, Z02.83, Z02.89, Z02.9, Z76.1, Z76.2

*Codes subject to change





(AIS) Adult Immunization Status

Measures percentage of members 19 years of age and older who are up to date on recommended routine vaccines for influenza, tetanus, and diphtheria (Td) or tetanus, diphtheria, and acellular pertussis (Tdap), zoster and pneumococcal.

Tips:

- Schedule appointments within immunization timeframes.
- Discuss the importance of vaccinations during member appointments.
- Include immunization history from all sources in the member's medical record.

Description	Codes*
Adult Influenza Vaccine Procedure	CPT: 90630, 90653-90654, 90656, 90658, 90661-90662, 90673-90674, 90682, 90686, 90688-90689, 90694, 90756
Td Vaccine Procedure	CPT: 90714, 90718
Tdap Vaccine Procedure	CPT: 90715
Varicella Zoster (VZV) Vaccine Procedure	CPT: 90710, 90716

*Codes subject to change



(BPD) Blood Pressure Control for Patients with Diabetes

Measure evaluates percentage of members 18-75 years of age with diabetes (type 1 and type 2) whose blood pressure was adequately controlled (<140/90 mm Hg).

Tips:

- Never round up BP readings.
- Use correct cuff size on bare arm.
- Check BP on both arms and record the lowest systolic and diastolic readings.
- Patients should rest quietly for at least 5 minutes before the first BP is taken.
- Submit applicable codes.

(continued)

(BPD) Blood Pressure Control for Patients with Diabetes *(continued)*

Description	Codes*
Palliative Care	HCPCS: G9054, M1017
Outpatient Codes (must include a diagnosis of diabetes)	CPT: 99201-99205, 99211-99215, 99241-99245, 99341-99345, 99347-99350, 99381-99987, 99391-99397, 99401, 99402, 99403, 99404, 99411, 99412, 99429, 99455, 99456, 99483 HCPCS: G0402, G0438, G0439, G0463, T1015
Non-Acute Inpatient (must include a diagnosis of diabetes)	CPT: 99304-99310, 99315, 99316, 99318, 99324-99328, 99334-99337
Telephone Visits (must include a diagnosis of diabetes)	CPT: 98966-98968, 99441-99443
E-Visits or Virtual Check-ins (must include a diagnosis of diabetes)	CPT: 98969-98972, 99421-99423, 99444, 99457 HCPCS: G0071, G2010, G2012, G2061-G2063
Systolic Greater Than/ Equal to 140	CPT-CAT-II: 3077F
Systolic Less Than 140	CPT-CAT-II: 3074F, 3075F
Diastolic 80-89	CPT-CAT-II: 3079F
Diastolic Greater Than/ Equal to 90	CPT-CAT-II: 3080F
Diastolic Less Than 80	CPT-CAT-II: 3078F

*Codes subject to change



(CBP) Controlling High Blood Pressure

Measure evaluates the percentage of members 18-85 years of age who had a diagnosis of hypertension (HTN) and whose BP was adequately controlled (<140/90 mm Hg).

Tips:

- Blood pressure reading can be collected via any telehealth visit and it does not require a remote monitoring device to be the source.
- Retake BP readings if the reading is >140/90 mm Hg.
- Help members schedule their hypertension follow-up appointments.
- Educate members on what a controlled blood pressure means.
- Talk with members about taking their own blood pressure via a digital device.
- Submit applicable codes.

Description	Codes*
Essential Hypertension	ICD-10: I10
Systolic Greater Than/Equal to 140	CPT-CAT-II: 3077F
Systolic Less Than 140	CPT-CAT-II: 3074F, 3075F
Diastolic Greater Than/Equal to 90	CPT-CAT-II: 3080F
Diastolic 80-89	CPT-CAT-II: 3079F
Diastolic Less Than 80	CPT-CAT-II: 3078F
Telephone Visits	CPT: 98966-98968, 99441-99443
Palliative Care	HCPCS: G9054, M1017

*Codes subject to change



(COL) Colorectal Cancer Screening

Measure evaluates the percentage of members 45-75 years of age who has had an appropriate screening for colorectal cancer.

Tips:

- Complete and document all screenings for patients.
- Educate members on the importance of colorectal cancer screenings for early detection and the options available to complete their screening.
- Talk with members about using the home screenings for colorectal cancer screening.
- Help members schedule their colonoscopy screening appointments.
- Submit applicable codes.

Description	Codes*
Colonoscopy	CPT: 44388-44394, 44397, 44401-44408, 45355, 45378-45393, 45398 HCPCS: G0105, G0121
CT Colonography	CPT: 74261-74263
sDNA FIT Lab Test	CPT: 81528
Flexible Sigmoidoscopy	CPT: 45330-45335, 45337-45338, 45340-45342 , 45346-45347, 45349-45350 HCPCS: G0104
FOBT Lab Test	CPT: 82270, 82274 HCPCS: G0328
Colorectal Cancer	ICD-10: C18.0-C18.9, C19, C20, C21.2, C21.8, C78.5, Z85.038, Z85.048
Palliative Care	HCPCS: G9054, M1017
Total Colectomy	CPT: 44150-44153, 44155-44158, 44210-44212

*Codes subject to change



(EED) Eye Exam for Patients with Diabetes

Measure evaluates percentage of members 18-75 years of age with diabetes (type 1 and type 2) who had a retinal eye exam.

Tips:

- Refer diabetic members to an acceptable eye care professional annually.
- Educate members on the eye damage that could be caused by their diabetes.
- Help members to schedule their annual diabetic eye exam appointments.
- Submit applicable codes.

Description	Codes*
Palliative Care	HCPCS: G9054, M1017
Outpatient Codes (must include a diagnosis of diabetes)	CPT: 99201-99205, 99211-99215, 99241-99245, 99341-99345, 99347-99350, 99381-99387, 99391-99397, 99401, 99402, 99403, 99404, 99411, 99412, 99429, 99455, 99456, 99483 HCPCS: G0402, G0438, G0439, G0463, T1015
Non-Acute Inpatient (must include a diagnosis of diabetes)	CPT: 99304-99310, 99315, 99316, 99318, 99324-99328, 99334-99337
Telephone Visits (must include a diagnosis of diabetes)	CPT: 98966-98968, 99441-99443
E-Visits or Virtual Check-ins (must include a diagnosis of diabetes)	CPT: 98969-98972, 99421-99423, 99444, 99457 HCPCS: G0071, G2010, G2012, G2061-G2063
Unilateral Eye Enucleation With a Bilateral Modifier	CPT: 65091, 65093, 65101, 65103, 65105, 65110, 65112, 65114 CPT Modifier: 50

(EED) Eye Exam for Patients with Diabetes *(continued)*

Description	Codes*
Automated Eye Exam	CPT: 92229
Diabetic Retinal Screening Negative in Prior Year	CPT-CAT-II: 3072F
Eye Exam With Retinopathy	CPT-CAT-II: 2022F, 2024F, 2026F HCPCS: S0620, S0621, S3000
Eye Exam Without Retinopathy	CPT-CAT-II: 2023F, 2025F, 2033F

*Codes subject to change



(HBD) Hemoglobin A1c Control for Patients with Diabetes

Measure evaluates percentage of members 18-75 years of age with diabetes (type 1 and type 2) whose HbA1c was at the following levels:

- ✓ HbA1c control (<8.0%)
- ✓ HbA1c Poor control (>9.0%)

Tips:

- Document all A1c lab values with dates for diabetic members.
- Provide education to members regarding the need to monitor and manage their blood sugars (HgA1c).
- Assist members if needed to schedule lab visits for regular A1c testing to include transportation assistance.
- Submit applicable codes.

Description	Codes*
Palliative Care	HCPCS: G9054, M1017
Outpatient Codes (must include a diagnosis of diabetes)	CPT: 99201-99205, 99211-99215, 99241-99245, 99341-99345, 99347-99350, 99381-99387, 99391-99397, 99401, 99402, 99403, 99404, 99411, 99412, 99429, 99455, 99456, 99483 HCPCS: G0402, G0438, G0439, G0463, T1015

(HBD) Hemoglobin A1c Control for Patients with Diabetes *(continued)*

Description	Codes*
Non-Acute Inpatient (must include a diagnosis of diabetes)	CPT: 99304-99310, 99315, 99316, 99318, 99324-99328, 99334-99337
Telephone Visits (must include a diagnosis of diabetes)	CPT: 98966-98968, 99441-99443
E-Visits or Virtual Check-ins (must include a diagnosis of diabetes)	CPT: 98969-98972, 99421-99423, 99444, 99457 HCPCS: G0071, G2010, G2012, G2061-G2063
HbA1c Lab Test	CPT: 83036, 83037
HbA1c Level Less than 7 Codes	CPT-CAT-II: 3044F
HbA1c Level Greater Than/Equal to 7 and Less than 8	CPT-CAT-II: 3051F
HbA1c Level Greater Than/Equal to 8 and Less Than/Equal to 9	CPT-CAT-II: 3052F
HbA1c Greater Than 9.0	CPT-CAT-II: 3046F

*Codes subject to change



(KED) Kidney Health Evaluation for Patients with Diabetes

The percentage of members 18–85 years of age with diabetes (Type 1 and Type 2) who received a kidney health evaluation, defined by an estimated glomerular filtration rate (eGFR) **and** a urine albumin-creatinine ratio (uACR), during the measurement year.

Tips:

- Use CPT II coding when completing screening test to assist in administrative collection and gap closure.
- Educate members on why good kidney function is important as they work to manage their health and diabetes.
- Help members schedule their diabetes follow-up appointments and remind them of the care gaps that should be covered to include kidney function.
- Submit applicable codes.

Description	Codes*
Estimated Glomerular Filtration Rate (eGFR) – must be within 4 days or less of the uACR	CPT: 80047, 80048, 80050, 80053, 80069, 82565
Urine Albumin-Creatinine Ratio (uACR) – must be within 4 days or less of the eGFR	CPT: 82043, 82570
Palliative Care	HCPCS: G9054, M1017

*Codes subject to change



(PBH) Persistence of Beta-Blocker Treatment After a Heart Attack

This measure demonstrates the percentage of members 18 years of age and older during the measurement year who were hospitalized and discharged from July 1 of the year prior to June 30 of the measurement year with a diagnosis of AMI and who received persistent beta-blocker treatment for six months after discharge.

Beta-Blocker Medication	
Description	Prescription
Noncardioselective Beta-blockers	• Carvedilol • Labetalol • Nadolol • Pindolol • Propranolol • Timolol • Sotalol
Cardioselective Beta-blockers	• Acebutolol • Betaxolol • Metoprolol • Atenolol • Bisoprolol • Nebivolol
Antihypertensive Combinations	• Atenolol-chlorthalidone • Bendroflumethiazide-nadolol • Bisoprolol-hydrochlorothiazide • Hydrochlorothiazide-metoprolol • Hydrochlorothiazide-propranolol



(PCE) Pharmacotherapy Management of COPD Exacerbation

Measure evaluates percentage of COPD exacerbations for members 40 years of age and older who had an acute inpatient discharge or ED visit on or between January 1-November 30 and were dispensed appropriate medications.

Two rates are reported:

- 1 Dispensed a systemic **corticosteroid** (or there was evidence of an active prescription) **within 14 days of the event**
- 2 Dispensed a **bronchodilator** (or there was evidence of an active prescription) within **30 days of the event**

Systemic Corticosteroid Medications

Description	Prescription
Glucocorticoids	<ul style="list-style-type: none"> • Cortisone • Hydrocortisone • Prednisolone • Dexamethasone • Methylprednisolone • Prednisone

Bronchodilator Medications

Description	Prescription
Anticholinergic Agents	<ul style="list-style-type: none"> • Acclidinium-bromide • Umeclidinium • Ipratropium • Tiotropium
Beta 2-agonists	<ul style="list-style-type: none"> • Albuterol • Levalbuterol • Arformoterol • Metaproterenol • Formoterol • Salmeterol • Indacaterol • Oledaterol
Bronchodilator Combinations	<ul style="list-style-type: none"> • Albuterol-ipratropium • Formoterol-acclidinium • Budesonide-formoterol • Formoterol-glycopyrrolate • Formoterol-mometasone • Fluticasone-salmeterol • Glycopyrrolate-indacaterol • Fluticasone-vilanterol • Umeclidinium-Vilanterol • Fluticasone furoate-umeclidinium-vilanterol • Olodaterol-tiotropium



(SPC) Statin Therapy for Patients with Cardiovascular Disease

The percentage of males 21-75 years of age and females 40-75 years of age during the measurement year who were identified as having clinical atherosclerotic cardiovascular disease (ASCVD) and met the following criteria.

The following rates are reported:

- 1 Received Statin Therapy:** Members who were dispensed at least one high-intensity or moderate-intensity statin medication during the measurement year.
- 2 Statin Adherence 80%:** Members who remained on a high-intensity or moderate intensity statin medication for at least 80% of the treatment period.

Tips:

- Review medication list during each visit with the patient.
- Discuss the importance of medication adherence with the patient.

High- and Moderate-Intensity Statin Medications

Description	Prescription	Medication Lists
High-intensity Statin Therapy	• Atorvastatin 40-80 mg	Atorvastatin High Intensity Medications List
High-intensity Statin Therapy	• Amlodipine-atorvastatin 40-80 mg	Amlodipine Atorvastatin High Intensity Medications List
High-intensity Statin Therapy	• Rosuvastatin 20-40 mg	Rosuvastatin High Intensity Medications List
High-intensity Statin Therapy	• Simvastatin 80 mg	Simvastatin High Intensity Medications List
High-intensity Statin Therapy	• Ezetimibe-simvastatin 80 mg	Ezetimibe Simvastatin High Intensity Medications List
Moderate-intensity Statin Therapy	• Atorvastatin 10-20 mg	Atorvastatin Moderate Intensity Medications List

(SPC) Statin Therapy for Patients with Cardiovascular Disease *(continued)*

High- and Moderate-Intensity Statin Medications		
Description	Prescription	Medication Lists
Moderate-intensity Statin Therapy	· Amlodipine-atorvastatin 10-20 mg	Amlodipine Atorvastatin Moderate Intensity Medications List
Moderate-intensity Statin Therapy	· Rosuvastatin 5-10 mg	Rosuvastatin Moderate Intensity Medications List
Moderate-intensity Statin Therapy	· Simvastatin 20-40 mg	Simvastatin Moderate Intensity Medications List
Moderate-intensity Statin Therapy	· Ezetimibe-simvastatin 20-40 mg	Ezetimibe Simvastatin Moderate Intensity Medication List
Moderate-intensity Statin Therapy	· Pravastatin 40-80 mg	Pravastatin Moderate Intensity Medications List
Moderate-intensity Statin Therapy	· Lovastatin 40 mg	Lovastatin Moderate Intensity Medications List
Moderate-intensity Statin Therapy	· Fluvastatin 40-80 mg	Fluvastatin Moderate Intensity Medications List
Moderate-intensity Statin Therapy	· Pitavastatin 1-4 mg	Pitavastatin Moderate Intensity Medications List



(SPR) Use of Spirometry Testing in the Assessment and Diagnosis of COPD

Measure evaluates the percentage of members 40 years of age and older with a new diagnosis of COPD or newly active COPD, who received appropriate spirometry testing to confirm diagnosis.

CPT*

Spirometry 94010, 94014-94016, 94060, 94070, 94375

*Codes subject to change

Pharmacy Adherence Measures



(DIAB) Adherence to Diabetes Medications – Measure Overview

The percentage of members 18 years and older with a diabetes medication with a Proportion of Days Covered (PDC) \geq 80%.

- ✓ Higher rate indicates better performance
- ✓ 2 fills needed to index into the measure
- ✓ Targeted early in the year

RY25 Measure Weight: 3

Gap Closure Requirements

PDC \geq 80% per member

- ✓ PDC calculated utilizing: total days supplied of diabetes pharmacy claims / Date of first diabetes fill to the end of the reporting interval
- ✓ Each medication claim must be submitted to the Health Plan (cash payment/ samples given by prescriber or meds filled at an out of network pharmacy do not count)
- ✓ Final plan star score based upon the percentage of members with a PDC \geq 80%

Other Criteria

- ✓ Medication Inclusions: Diabetes Medications
 - i.e., Metformin, Glipizide, Glimepiride, Januvia
- ✓ Exclusions: Members with an insulin claim; Hospice enrollees, ESRD





(RASA) Adherence to Hypertensive Medications – Measure Overview

The percentage of members 18 years and older with a RASA medication with a Proportion of Days Covered (PDC) \geq 80%.

- ✓ Higher rate indicates better performance
- ✓ 2 fills needed to index into the measure
- ✓ Targeted early in the year

RY25 Measure Weight: 3

Gap Closure Requirements

PDC \geq 80% per member

- ✓ PDC calculated utilizing: total days supplied of RASA pharmacy claims / Date of first RASA fill to the end of the reporting interval
- ✓ Each medication claim must be submitted to the Health Plan (cash payment/ samples given by prescriber or meds filled at an out of network pharmacy do not count)
- ✓ Final plan star score based upon the percentage of members with a PDC \geq 80%

Other Criteria

- ✓ Medication Inclusions: RASA Medications
 - i.e. Lisinopril, Losartan, Enalapril, Valsartan
- ✓ Exclusions: Members with a Sacubutril/valsartan claim; Hospice enrollees, ESRD



(STAT) Adherence to Cholesterol Medications – Measure Overview

The percentage of members 18 years and older with a CHOL medication with a Proportion of Days Covered (PDC) \geq 80%.

- ✓ Higher rate indicates better performance
- ✓ 2 fills needed to index into the measure
- ✓ Targeted early in the year

RY25 Measure Weight: 3

Gap Closure Requirements

PDC \geq 80% per member

- ✓ **PDC calculated utilizing:**
total days supplied of CHOL pharmacy claims / Date of first CHOL fill to the end of the reporting interval
- ✓ Each medication claim must be submitted to the Health Plan (cash payment/ samples given by prescriber or meds filled at an out of network pharmacy do not count)
- ✓ Final plan star score based upon the percentage of members with a PDC \geq 80%

Other Criteria

- ✓ Medication Inclusions: CHOL Medications
 - i.e., Atorvastatin, Simvastatin, Rosuvastatin, Pravastatin
- ✓ Exclusions: Hospice enrollees, ESRD



(SUPD) Statin Use in Persons with Diabetes – Measure Overview

The percentage of members ages 40-75 years of age with diabetes that have a single fill of a statin.

- ✓ Higher rate indicates better performance
- ✓ Only 1 fill needed to index in the measure
- ✓ Targeted later in the year vs. other measures (starting in late July or August)

RY25 Measure Weight: 1

Gap Closure Requirements

Member received a Statin Therapy

- ✓ The number of members who had at least one dispensing event for a statin medication during the measurement year

Other Criteria

- ✓ Medication Inclusions: Statin Medications
 - i.e., Atorvastatin, Simvastatin, Rosuvastatin, Pravastatin
- ✓ Exclusions: ESRD, Rhabdomyolysis, Pregnancy, Cirrhosis, Pre-Diabetes, Polycystic Ovary Syndrome

Women's Health



(BCS-E) Breast Cancer Screening

The Breast Cancer Screening measure has transitioned to exclusive use of the Electronic Clinical Data Systems reporting standard for measurement year 2023.

Summary of Changes:

Only BCS-E measure will be reported. BCS is a retired measure and replaced with the new BCS-E measure.

Measure evaluates the percentage of women 50-74 years of age who had a mammogram to screen for breast cancer.

Tips:

- Schedule member's mammogram screening.
- Document the date and the specific procedure completed when reviewing the patient's history.
- Submit applicable codes.

(continued)



(BCS-E) Breast Cancer Screening *(continued)*

Description	Codes*
Mammogram	CPT: 77061-77063, 77065-77067 ICD-10 (bilateral mastectomy): Z90.13 SNOMED: 836381000000102 1106021000000101 1106641000000102 1106651000000104 1106661000000101 1111381000000105 1111411000000107 1111421000000101 1111791000000108
Palliative Care	HCPCS: G9054, M1017

*Codes subject to change



(CCS) Cervical Cancer Screening

This measure demonstrates the percentage of women 21-64 years of age who were screened for cervical cancer using **either** of the following criteria:

- ✓ Women 21-64 years of age who had cervical cytology performed within last 3 years.
- ✓ Women 30-64 years of age who had cervical high-risk human papillomavirus (hrHPV) testing performed within the last 5 years.
- ✓ Women 30-64 years of age who had cervical cytology/high risk human papillomavirus (hrHPV) co-testing within the last 5 years.

(CCS) Cervical Cancer Screening *(continued)*

Tips:

- Help members schedule their routine cervical cancer screening.
- Document the date and the specific procedure completed when reviewing the patient's history.
- Submit the applicable codes

Description	Codes*
Cervical Cytology Lab Test (20-64)	CPT: 88141-88143, 88147, 88148, 88150, 88152-88153, 88164-88167, 88174, 88175 HCPCS: G0123, G0124, G0141, G0143, G0144, G0145, G0147, G0148, P3000, P3001, Q0091
HPV Tests (30-64)	CPT: 87624, 87625 HCPCS: G0476
Hysterectomy with No Residual Cervix and Absence of Cervix Diagnosis	CPT: 57530, 57531, 57540, 57545, 57550, 57555, 57556, 58150, 58152, 58200, 58210, 58240, 58260, 58262, 58263, 58267, 58270, 58275, 58280, 58285, 58290-58294, 58548, 58550, 58552-58554, 58570-58573, 58575, 58951, 58953, 58954, 58956, 59135 ICD-10: Q51.5, Z90.710, Z90.712 SNOMED: 1163275000
Palliative Care	HCPCS: G9054, M1017

*Codes subject to change



(CHL) Chlamydia Screening in Women

Measure evaluates the percentage of women 16-24 years of age who were identified as sexually active and who had at least one test for chlamydia.

Tips:

- Perform chlamydia screening every year.
- Inform patient that chlamydia screening can be performed through a urine test. Offer this as an option for patients.
- Add chlamydia screening as a standard lab for women 16–24 years old. Use well-child exams and well-women exams for this purpose.
- Place chlamydia swab next to Pap test or pregnancy detection materials.
- Meet with teens and young adults separately from their parents to allow open conversation.
- Advise members during wellness visits or when they are seen for birth control to get screened for chlamydia.
- Submit applicable codes.

CPT*

87110, 87270, 87320, 87490-87492, 87810, 0353U

*Codes subject to change



(PPC) Prenatal and Postpartum Care

Measure evaluates percentage of deliveries of live births on or between October 8 of the year prior to the measurement year and October 7 of the measurement year. For these women, the measure assesses the following facets of prenatal and postpartum care.

Tips:

- Schedule an initial prenatal visit within the first 12 weeks of pregnancy with an OB/GYN, PCP, or nurse midwife.
 - Educate members on the importance of prenatal care throughout their pregnancy to include the postpartum visit.
 - Schedule postpartum visits prior to discharge after delivery.
 - Submit applicable codes.
- ✓ **Timeliness of Prenatal Care:** percentage of deliveries that received a prenatal care visit in the first trimester, on or before the enrollment start date, or within 42 days of enrollment in the organization
 - ✓ **Postpartum Care:** percentage of deliveries that had a postpartum visit on or between 7 and 84 days after delivery

Description	Codes*
Online Assessments	CPT: 98969-98972, 99421-99423, 99444, 99457 HCPCS: G0071, G2010, G2012, G2061, G2062, G2063
Prenatal Visits	CPT: 99201-99205, 99211-99215, 99241-99245, 99483 HCPCS: G0463, T1015
Stand-Alone Prenatal Visits	CPT: 99500 CPT-CAT-II: 0500F, 0501F, 0502F HCPCS: H1000, H1001, H1002, H1003, H1004
Cervical Cytology Lab Test	CPT: 88141-88143, 88147, 88148, 88150, 88152-88153, 88164-88167, 88174, 88175 HCPCS: G0123, G0124, G0141, G0143, G0144, G0145, G0147, G0148, P3000, P3001, Q0091

(PPC) Prenatal and Postpartum Care *(continued)*

Description	Codes*
Postpartum Visits	CPT: 57170, 58300, 59430, 99501 CPT-CAT-II: 0503F HCPCS: G0101 ICD-10: Z01.411, Z01.419, Z01.42, Z30.430, Z39.1, Z39.2
Telephone Visits	CPT: 98966-98968, 99441-99443

*Codes subject to change

NOTE: When using the Online Assessment, Telephone Visit, or Prenatal Visit codes, remember to also include a Pregnancy Diagnosis code.



(PRS-E) Prenatal Immunization Status

Measures percentage of women who received influenza, tetanus, diphtheria toxoids and acellular pertussis (Tdap) vaccinations in the measurement period.

For a complete list of approved codes, please visit the NCQA website at www.ncqa.org.

Description	Codes*
Adult Influenza Immunization	CVX: 88, 135, 140-141, 144, 150, 153, 155, 158, 166, 168, 171, 185-186, 197, 205
Adult Influenza Vaccine Procedure	CPT: 90630, 90653-90654, 90656, 90658, 90661-90662, 90673-90674, 90682, 90686, 90688-90689, 90694, 90756
Tdap Immunization	CVX: 115
Tdap Vaccine Procedure	CPT: 90715

*Codes subject to change

Pediatric Health



(AAB) Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis

Percentage of episodes for members 3 months of age and older with a diagnosis of acute bronchitis/bronchiolitis that did not result in an antibiotic dispensing event.

Tips:

- A higher rate indicates appropriate treatment (percent of episodes that were **not** prescribed an antibiotic).
- If patient needs prescription for antibiotic, include appropriate diagnosis to support use of antibiotic prescribed.
- Submit applicable codes.

Description	Codes*
Acute Bronchitis	J20.3-J20.9, J21.0, J21.1, J21.8, J21.9
Pharyngitis	J02.0, J02.8, J02.9, J03.00, J03.01, J03.80, J03.81, J03.90, J03.91

*Codes subject to change





(CIS) Childhood Immunization Status

This measure demonstrates the percentage of children 2 years of age who completed immunizations on or before the child's second birthday.

Tips:

- Document both the name of the vaccine and the date it was administered in the medical record.
- Submit applicable codes.

Description	Codes*
DTaP (4 dose)	CPT: 90697, 90698, 90700, 90723 CVX: 20, 50, 106, 107, 110, 120, 146
HIB (3 dose)	CPT: 90644, 90647, 90648, 90697, 90698, 90748 CVX: 17, 46, 47, 48, 49, 50, 51, 120, 146, 148
Newborn Hep B (3 dose)	CPT: 90697, 90723, 90740, 90744, 90747, 90748 CVX: 08, 44, 45, 51, 110, 146 HCPCS: G0010 ICD-10: B16.0, B16.1, B16.2, B16.9, B17.0, B18.0, B18.1, B19.10, B19.11
IPV (3 dose)	CPT: 90697, 90698, 90713, 90723 CVX: 10, 89, 110, 120, 146
MMR (1 dose)	CPT: 90707, 90710 CVX: 03, 94 ICD-10: B05.0, B05.1, B05.2, B05.3, B05.4, B05.81, B05.89, B05.9, B26.0, B26.1, B26.2, B26.3, B26.81, B26.82, B26.83, B26.84, B26.85, B26.89, B26.9, B06.00, B06.01, B06.02, B06.09, B06.81, B06.82, B06.89, B06.9
Pneumococcal Conjugate PCV (4 dose)	CPT: 90670, 90671 CVX: 109, 133, 152 HCPCS: G0009

(CIS) Childhood Immunization Status *(continued)*

Description	Codes*
Varicella VZV (1 dose)	CPT: 90710, 90716 CVX: 21, 94 ICD-10: B01.0, B01.11, B01.12, B01.2, B01.81, B01.89, B01.9, B02.0, B02.1, B02.21, B02.22, B02.23, B02.24, B02.29, B02.30, B02.31, B02.32, B02.33, B02.34, B02.39, B02.7, B02.8, B02.9
Hep A (1 dose)	CPT: 90633 CVX: 31, 83, 85 ICD-10: B15.0, B15.9
Influenza Flu (2 dose) LAIV vaccination must be administered on the child's 2nd birthday	CPT: 90655, 90657, 90660, 90661, 90672, 90673, 90674, 90685-90689, 90756 CVX: 88, 140, 141, 150, 153, 155, 158, 161, 111, 149, 171, 186 HCPCS: G0008
Rotavirus (2 Dose)	CPT: 90681 CVX: 119
Rotavirus (3 Dose)	CPT: 90680 CVX: 116, 122
Anaphylaxis	Use applicable SNOMED as indicated per vaccine

*Codes subject to change

NOTE: Rotavirus is either 2 dose **OR** 3 dose for compliancy



(IMA) Immunizations for Adolescents

Tips:

- Document both the name of the vaccine and the date it was administered in the medical record.
- Submit applicable codes.

Measure evaluates percentage of adolescents 13 years of age who completed immunizations on or before the member's 13th birthday.

Description	Codes*
Meningococcal – serogroup A,C,W, and Y: (1 dose)	CPT: 90619, 90733, 90734 CVX: 32, 108, 114, 136, 147, 167, 203
Tdap (1 dose)	CPT: 90715 CVX: 115
HPV (2 or 3 dose series)	CPT: 90649-90651 CVX: 62, 118, 137, 165
Anaphylaxis	Use applicable SNOMED as indicated per vaccine

*Codes subject to change



(LSC) Lead Screening in Children

Measure evaluates percentage of children 2 years of age who had one or more capillary or venous lead blood test for lead poisoning on or prior to their second birthday (two tests by age 2).

Tips:

- LSC testing on or prior to the child's second birthday.
- Document both the date and results of the LSC screening.
- Any missed tests must be completed as soon as possible, but no later than six years of age.
- Submit applicable codes.

CPT*

83655

*Codes subject to change



(URI) Appropriate Treatment for Upper Respiratory Infection

The percentage of episodes for members 3 months of age and older with a diagnosis of upper respiratory infection (URI) that did not result in an antibiotic dispensing event.

Tips:

- Discourage the use of antibiotics for routine treatment of uncomplicated acute bronchitis, unless clinically indicated.
- Submit applicable codes.

Description	Codes*
Acute Nasopharyngitis (common cold)	ICD-10: J00
Acute Laryngopharyngitis	ICD-10: J06.0
Acute Upper Respiratory Infection, unspecified	ICD-10: J06.9

*Codes subject to change



(W30/WCV) Well-Child and Adolescent Well-Care Visits

One or more comprehensive well-care visits with a PCP or OB/GYN within the measurement year. Visits occurring anytime in the measurement year, including prior to or after the patient's birthday, closes the gap.

(W30) Well-Child Visits in the First 30 Months of Life:

Children who had the following number of well-child visits with PCP during the last 15 months.

(W30/WCV) Well-Child and Adolescent Well-Care Visits *(continued)*

Tips:

- Remind caregivers of appointments by texts or phone calls.
- Educate the caregiver about the importance of preventive care visits.
- Consider using templates with checkboxes to ensure required information is documented.
- Submit applicable codes.

The following rates are reported:

- 1 Well-Child Visits in the First 15 Months.** Children who turned 15 months old during the measurement year: Six or more well-child visits.
- 2 Well-Child Visits for Age 15 Months–30 Months.** Children who turned 30 months old during the measurement year: Two or more well-child visits.

CPT*	HCPCS*	ICD-10*
99381, 99382, 99391, 99392, 99461	G0438, G0439, S0302	Z00.110, Z00.111, Z00.121, Z00.129, Z00.2, Z76.1, Z76.2

*Codes subject to change

(WCV) Child and Adolescent Well-Care Visits: Members 3–21 years of age who had a least one comprehensive well-care visit with a PCP or an OB/GYN

CPT*	HCPCS*	ICD-10*
99382–99385, 99391–99395	G0438, G0439, S0302, S0610, S0612, S0613	Z00.00, Z00.01, Z00.121, Z00.129, Z00.2, Z00.3, Z01.411, Z01.419, Z02.5, Z76.2

*Codes subject to change



(WCC) Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents

This measure demonstrates the percentage of members 3-17 years of age who had an outpatient visit with a PCP or OB/GYN and who had evidence of the following:

- ✓ BMI Percentile
- ✓ Counseling for Nutrition
- ✓ Counseling for physical activity

Tips:

- Be sure to document all components of the WCC measure on every visit.
- Call members/caregivers to reschedule cancelled appointments.
- Submit applicable codes.

Description	Codes*
BMI Percentile	ICD-10: Z68.51, Z68.52, Z68.53, Z68.54
Nutrition Counseling	CPT: 97802-97804 HCPCS: G0270, G0271, G0447, S9449, S9452, S9470 ICD-10: Z71.3
Physical Activity	HCPCS: G0447, S9451 ICD-10: Z02.5, Z71.82

*Codes subject to change

General Health



(AMR) Asthma Medication Ratio

Measure evaluates the percentage of members 5-64 years of age who were identified as having persistent asthma and had a ratio of controller medications to total asthma medication of 0.50 or greater.

Step 1: For each member, count the units of asthma controller medications (Asthma Controller Medications List) dispensed during the measurement year.

Step 2: For each member, count the units of asthma reliever medications (Asthma Reliever Medications List) dispensed during the measurement year.

- ✓ For each member, sum the units calculated in step 1 and step 2 to determine units of total asthma medications
- ✓ For each member, calculate ratio using the below:
 - Units of Controller Medications/Units of Total Asthma Medications

Asthma Controller Medications			
Description	Prescriptions	Medication Lists	Route
Antibody Inhibitors	· Omalizumab	Omalizumab Medications List	Injection
Anti-interleukin-4	· Dupilumab	Dupilumab Medications List	Injection

(continued)



(AMR) Asthma Medication Ratio *(continued)*

Asthma Controller Medications			
Description	Prescriptions	Medication Lists	Route
Anti-interleukin-5	• Benralizumab	Benralizumab Medications List	Injection
Anti-interleukin-5	• Mepolizumab	Mepolizumab Medications List	Injection
Anti-interleukin-5	• Reslizumab	Reslizumab Medications List	Injection
Inhaled Steroid Combinations	• Budesonide-formoterol	Budesonide Formoterol Medications List	Inhalation
Inhaled Steroid Combinations	• Fluticasone-salmeterol	Fluticasone Salmeterol Medications List	Inhalation
Inhaled Steroid Combinations	• Fluticasone-vilanterol	Fluticasone Vilanterol Medications List	Inhalation
Inhaled Steroid Combinations	• Formoterol-mometasone	Formoterol Mometasone Medications List	Inhalation
Inhaled Corticosteroids	• Beclomethasone	Beclomethasone Medications List	Inhalation
Inhaled Corticosteroids	• Budesonide	Budesonide Medications List	Inhalation
Inhaled Corticosteroids	• Ciclesonide	Ciclesonide Medications List	Inhalation
Inhaled Corticosteroids	• Flunisolide	Flunisolide Medications List	Inhalation
Inhaled Corticosteroids	• Fluticasone	Fluticasone Medications List	Inhalation
Inhaled Corticosteroids	• Mometasone	Mometasone Medications List	Inhalation

(AMR) Asthma Medication Ratio *(continued)*

Asthma Controller Medications			
Description	Prescriptions	Medication Lists	Route
Leukotriene Modifiers	• Montelukast	Montelukast Medications List	Oral
Leukotriene Modifiers	• Zafirlukast	Zafirlukast Medications List	Oral
Leukotriene Modifiers	• Zileuton	Zileuton Medications List	Oral
Methylxanthines	• Theophylline	Theophylline Medications List	Oral
Asthma Reliever Medications			
Description	Prescriptions	Medication Lists	Route
Short-acting, Inhaled Beta-2 Agonists	Albuterol	Albuterol Medications List	Inhalation
Short-acting, Inhaled Beta-2 Agonists	Levalbuterol	Levalbuterol Medications List	Inhalation



(CWP) Appropriate Testing for Pharyngitis

This measure demonstrates the percentage of episodes for members 3 years and older where the member was diagnosed with pharyngitis, dispensed an antibiotic, and received a group A streptococcus (strep) test for the episode.

Tips:

- Review and document the group A streptococcus (strep) test in the member's health record.
- An in-person office visit is not required, follow-up can be provided via a telehealth, telephone, e-visit or virtual visit.
- Provide tips for managing viral infections and their symptoms such as over the counter medications.
- Submit applicable codes.

CPT*

87070, 87071, 87081, 87430, 87650-87652, 87880

*Codes subject to change

Social Determinants of Health



(SDOH) Social Determinants of Health

Description	Codes*
Occupational Exposure to Risk Factors	ICD-10: Z57.0 - Z57.9
Problems Related to Education and Literacy	ICD-10: Z55.0 - Z55.9
Problems Related to Employment and Unemployment	ICD-10: Z56.0 - Z56.9
Problems Related to Physical Environment	ICD-10: Z58.0 - Z58.9
Problems Related to Housing and Economic Circumstances	ICD-10: Z59.0 - Z59.9
Problems Related to Social Environment	ICD-10: Z60.0 - Z60.9
Problems Related to Upbringing	ICD-10: Z62.0 - Z62.9
Problems Related to Primary Support Group, Including Family Circumstances	ICD-10: Z63.0 - Z63.9
Problems Related to Certain Psychosocial Circumstances	ICD-10: Z64.0 - Z64.4
Problems Related to Other Psychosocial Circumstances	ICD-10: Z65.0 - Z65.9
Problems Related to Substance Use	ICD-10: Z71.41, Z71.42, Z71.51, Z71.52
Problems Related to Sleep/Sleep Hygiene	ICD-10: Z72.820, Z72.821
Other Risk Factors	ICD-10: Z91.89
Patient/Caregiver Noncompliance with Dietary Regimen or Medical Treatment Due to Financial Hardship	ICD-10: Z911.10, Z911.90, Z91A.10, Z91A.20

(continued)



(SDOH) Social Determinants of Health *(continued)*

Description	Codes*
Transportation Insecurity Procedures	CPT: 96156
CPT/HCPCS Screening Codes Applicable to SDOH	CPT: 96156-96161, 97802-97804, 99377-99378 HCPCS: S5170, S9470, G0182, G9473-G9479, Q5003-Q5008, Q5010, S9126, T2042-T2046

Best Practices Include supplemental codes in the patient’s diagnosis section on a claim form. Assign as many SDOH codes necessary to describe all the social problems, conditions, or risk factors documented during the current episode of care.

*Codes subject to change

Behavioral Health



(ADD) Follow-up Care for Children Prescribed ADHD Medication

Measure evaluates percentage of children newly prescribed attention deficit hyperactivity disorder (ADHD) medication who had at least three follow-up care visits within a 10-month period, one of which was within 30 days of when the first ADHD medication was dispensed.

Tips:

- Complete a medical and psychiatric examination prior to diagnosing and prescribing ADHD medications.
- Have member or parent schedule a follow-up appointment before leaving the office when a new ADHD medication has been prescribed.
- Have staff reschedule canceled appointments.
- Schedule telehealth visits if office visits are not acceptable.
- Submit applicable codes.

Two rates are reported:

- 1 Initiation Phase:** percentage of members 6-12 years of age with a prescription dispensed for ADHD medication, who had one follow-up visit with a practitioner with prescribing authority during the 30-day Initiation Phase

(continued)



(ADD) Follow-up Care for Children

Prescribed ADHD Medication *(continued)*

- 2 Continuation and Maintenance (C&M) Phase:** percentage of members 6-12 years of age with a prescription dispensed for ADHD medication, who remained on the medication for at least 210 days and who, in addition to the visit in the Initiation Phase, had at least two follow-up visits with a practitioner within 270 days (9 months) after the Initiation Phase ended

Description	Codes*
An Outpatient Visit	CPT: 90791, 90792, 90832-90834, 90836-90840, 90845, 90847, 90849, 90853, 90875, 90876, 99221-99223, 99231-99233, 99238, 99239, 99251-99255 POS: 03, 05, 07, 09, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 22, 33, 49, 50, 71, 72
BH Outpatient Visit	CPT: 98960-98962, 99078, 99201-99205, 99211-99215, 99241-99245, 99341-99345, 99347-99350, 99381-99387, 99391-99397, 99401-99404, 99411, 99412, 99510, 99483, 99492-99494 HCPCS: G0155, G0176, G0177, G0409, G0463, G0512, H0002, H0004, H0031, H0034, H0036, H0037, H0039, H0040, H2000, H2010, H2011, H2013, H2014, H2015, H2016, H2017, H2018, H2019, H2020, T1015
Observation Visit	CPT: 99217-99220
Health and Behavior Assessment/ Intervention	CPT: 96150-96154, 96156, 96158, 96159, 96164, 96165, 96167, 96168, 96170, 96171
Visit Setting Unspecified Value Set with Partial Hospitalization POS	CPT: 90791, 90792, 90832-90834, 90836-90840, 90845, 90847, 90849, 90853, 90875, 90876, 99221-99223, 99231-99233, 99238, 99239, 99251-99255 POS: 52
Partial Hospitalization/ Intensive Outpatient	HCPCS: G0410, G0411, H0035, H2001, H2012, S0201, S9480, S9484, S9485

(ADD) Follow-up Care for Children Prescribed ADHD Medication *(continued)*

Description	Codes*
Telehealth Visit	CPT: 90791, 90792, 90832-90834, 90836-90840, 90845, 90847, 90849, 90853, 90875, 90876, 99221-99223, 99231-99233, 99238, 99239, 99251-99255 POS: 02, 10
Telephone Visits	CPT: 98966-98968, 99441-99443
E-visit/Virtual Check-In	CPT: 98969-98972, 99421-99423, 99444, 99457 HCPCS: G0071, G2010, G2012, G2061, G2062, G2063
Visit Setting Unspecified Value Set with Community Mental Health Center POS	CPT: 90791, 90792, 90832-90834, 90836-90840, 90845, 90847, 90849, 90853, 90875, 90876, 99221-99223, 99231-99233, 99238, 99239, 99251-99255 POS: 53
Narcolepsy	ICD-10: G47.411, G47.419, G47.421, G47.429

*Codes subject to change



(AMM) Antidepressant Medication Management

Applicable Foster Care Measure:

Measure evaluates percentage of members 18 years of age and older who were treated with antidepressant medication, had a diagnosis of major depression, and who remained on an antidepressant medication treatment.

Two rates are reported:

- 1 Effective Acute Phase Treatment:** percentage of members who remained on an antidepressant medication for at least 84 days (12 weeks)
- 2 Effective Continuation Phase Treatment:** percentage of members who remained on an antidepressant medication for at least 180 days (6 months)

(AMM) Antidepressant Medication Management *(continued)*

Antidepressant Medications			
Description	Prescription		
Miscellaneous Antidepressants	• Bupropion • Vortioxetine	• Vilazodone	
Monoamine Oxidase Inhibitors	• Isocarboxazid • Phenelzine	• Selegiline • Tranylcypromine	
Phenylpiperazine Antidepressants	• Nefazodone	• Trazodone	
Psychotherapeutic Combinations	• Amitriptyline-chlordiazepoxide • Fluoxetine-olanzapine • Amitriptyline-perphenazine		
SNRI Antidepressants	• Desvenlafaxine • Venlafaxine	• Duloxetine • Levomilnacipran	
SSRI Antidepressants	• Citalopram • Fluvoxamine	• Escitalopram • Paroxetine	• Fluoxetine • Sertraline
Tetracyclic Antidepressants	• Maprotiline	• Mirtazapine	
Tricyclic Antidepressants	• Amitriptyline • Desipramine • Nortriptyline	• Amoxapine • Doxepin (>6 mg) • Protriptyline	• Clomipramine • Imipramine • Trimipramine



(APM) Metabolic Monitoring for Children and Adolescents on Antipsychotics

Applicable Foster Care Measure:

This measure demonstrates the percentage of children and adolescents 1-17 years of age who had two or more antipsychotic prescriptions and had metabolic testing.

(APM) Metabolic Monitoring for Children and Adolescents on Antipsychotics *(continued)*

Tips:

- Provide members/caregivers with lab orders for HbA1c or glucose and cholesterol or LDL-C to be completed yearly.
- Educate the member and caregiver about the risks associated with taking antipsychotic medications and the importance of regular follow up care.
- Submit applicable codes.

Three rates reported:

- 1 Percentage of children and adolescents on antipsychotics who received blood glucose testing
- 2 Percentage of children and adolescents on antipsychotics who received cholesterol testing
- 3 Percentage of children and adolescents on antipsychotics who received blood glucose and cholesterol testing

Description (Need either A1c or Glucose and LCL-C or Cholesterol)	Codes*
HbA1c Lab Tests	CPT: 83036, 83037 CPT-CAT-II: 3044F, 3046F, 3051F, 3052F
Glucose Lab Tests	CPT: 80047, 80048, 80050, 80053, 80069, 82947, 82950, 82951
LDL-C Lab Tests	CPT: 80061, 83700, 83701, 83704, 83721 CPT-CAT-II: 3048F, 3049F, 3050F
Cholesterol Lab Tests	CPT: 82465, 83718, 83722, 84478

*Codes subject to change



(FUH) Follow-Up After Hospitalization for Mental Illness

Applicable Foster Care Measure:

Measure evaluates percentage of discharges for members 6 years of age and older who were hospitalized for treatment of selected mental illness or intentional self-harm diagnoses and who had a follow-up visit with a mental health provider.

Tips:

- Schedule follow up appointments prior to discharge and include the date and time on discharge instructions.
- Submit applicable codes.

FUH Age Stratification

Eligible Population

Product Lines:	Commercial (Marketplace), Medicaid, Medicare (report each product line separately)
-----------------------	--

Ages:	6 years and older as of the date of discharge. Report three ag stratifications and a total rate: <ul style="list-style-type: none"> • 6-17 years. • 18-64 years. • 65 years and older • Total.
--------------	---

The total is the sum of the age stratifications.

Two rates are reported:

- 1** Discharges for which the member received **follow-up within 30 days after discharge**
- 2** Discharges for which the member received **follow-up within 7 days after discharge**

(FUH) Follow-Up After Hospitalization for Mental Illness *(continued)*

Description	Codes*
<p>Outpatient Visit with a Mental Health Provider</p>	<p>CPT: 90791, 90792, 90832-90834, 90836-90840, 90845, 90847, 90849, 90853, 90875, 90876, 99221-99223, 99231-99233, 99238, 99239, 99251-99255, 98960-98962, 99078, 99201-99205, 99211-99215, 99241-99245, 99341-99345, 99347-99350, 99381-99387, 99391-99397, 99401-99404, 99411, 99412, 99492-99494, 99510, 99483</p> <p>POS: 03, 05, 07, 09, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 22, 33, 49, 50, 71, 72</p> <p>HCPCS: G0155, G0176, G0177, G0409, G0463, G0512, H0002, H0004, H0031, H0034, H0036, H0037, H0039, H0040, H2000, H2010, H2011, H2013-H2020, T1015</p>
<p>Visit Setting Unspecified Value Set with Partial Hospitalization POS with Mental Health Provider</p>	<p>CPT: 90791, 90792, 90832-90834, 90836-90840, 90845, 90847, 90849, 90853, 90875, 90876, 99221-99223, 99231-99233, 99238, 99239, 99251-99255</p> <p>POS: 52</p>
<p>Partial Hospitalization/Intensive Outpatient</p>	<p>HCPCS: G0410, G0411, H0035, H2001, H2012, S0201, S9480, S9484, S9485</p>
<p>Visit Setting Unspecified Value Set with Community Mental Health Center POS</p>	<p>CPT: 90791, 90792, 90832-90834, 90836-90840, 90845, 90847, 90849, 90853, 90875, 90876, 99221-99223, 99231-99233, 99238, 99239, 99251-99255</p> <p>POS: 53</p>

(FUH) Follow-Up After Hospitalization for Mental Illness *(continued)*

Description	Codes*
Electroconvulsive Therapy with Ambulatory Surgical Center POS/ Community Mental Health Center POS/ Outpatient POS/Partial Hospitalization POS	CPT: 90870 Ambulatory POS: 24 Comm. POS: 53 Partial Hosp. POS: 52 Outpatient POS: 03, 05, 07, 09, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 22, 33, 49, 50, 71, 72
Telehealth Visit	CPT: 90791, 90792, 90832-90834, 90836-90840, 90845, 90847, 90849, 90853, 90875, 90876, 99221-99223, 99231-99233, 99238, 99239, 99251-99255 POS: 02, 10
Observation	CPT: 99217-99220
Transitional Care Management	CPT: 99495, 99496
Telephone Visit	CPT: 98966-98968, 99441-99443
Psychiatric Collaborative Care Management	CPT: 99492-99494 HCPCS: G0512

*Codes subject to change



(IET) Initiation and Engagement of Substance Use Disorder Treatment

Measure evaluates percentage of adolescent and adult members with a new episode of substance use disorder (SUD) episodes that result in treatment initiation and engagement.

Tips:

- Explain the importance of a follow-up to your patients.
 - Schedule an initial follow-up appointment within 14 days.
 - Reschedule patients as soon as possible who do not keep initial appointments.
 - Use telehealth where appropriate.
 - Submit applicable codes.
- ✓ **Initiation of SUD Treatment:** percentage of new SUD episodes that result in treatment initiation through an inpatient SUD admission, outpatient visit, intensive outpatient encounter or partial hospitalization, telehealth, or medication treatment within 14 days
 - ✓ **Engagement of SUD Treatment:** percentage of new SUD episodes that have evidence of treatment engagement within 34 days of initiation

Alcohol Use Disorder Treatment Medications

Description	Prescription
Aldehyde Dehydrogenase Inhibitor	Disulfiram (oral)
Antagonist	Naltrexone (oral and injectable)
Other	Acamprosate (oral; delayed-release tablet)

Opioid Use Disorder Treatment Medications

Description	Prescription	Medication Lists
Antagonist	Naltrexone (oral)	Naltrexone Oral Medication List
Antagonist	Naltrexone (injectable)	Naltrexone Injection Medication List

(continued)

(IET) Initiation and Engagement of Substance Use Disorder Treatments *(continued)*

Opioid Use Disorder Treatment Medications		
Description	Prescription	Medication Lists
Partial Agonist	Buprenorphine (sublingual tablet)	Buprenorphine Oral Medication List
Partial Agonist	Buprenorphine (injection)	Buprenorphine Injection Medication List
Partial Agonist	Buprenorphine (implant)	Buprenorphine Implant Medication List
Partial Agonist	Buprenorphine/naloxone (sublingual tablet, buccal film, sublingual film)	Buprenorphine Naloxone Medication List

Tips:

- Explain the importance of follow-up to your patients.
- Schedule an initial follow-up appointment within 14 days.
- Reschedule patients as soon as possible who do not keep initial appointments.
- Use telehealth where appropriate.
- Submit applicable codes.

(IET) Initiation and Engagement of Substance Use Disorder Treatments *(continued)*

Description	Codes*
Initiation and Engagement/ Treatment	<p>CPT: 90791, 90792, 90832-90834, 90836-90840, 90845, 90847, 90849, 90853, 90875, 90876, 98960-98962, 99078, 99201-99205, 99211-99215, 99217-99220, 99221-99223, 99231, 99232, 99233, 99238, 99239, 99241-99245, 99341-99345, 99347-99350, 99251-99255, 99381-99387, 99391-99397, 99401-99404, 99408, 99409, 99411, 99412, 99483, 99492-99494, 99510</p> <p>HCPCS: G0155, G0176, G0177, G0396, G0397, G0409, G0443, G0463, G2086, G2087, G0512, G2067-G2078, G2080, H0001, H0002, H0004, H0005, H0007, H0015, H0016, H0022, H0031, H0034-H0037, H0039, H0040, H0047, H0050, H2000, H2010, H2011, H2013-H2020, H2035, H2036, S0201, S9480, S9484, S9485, T1006, T1012, T1015</p> <p>POS: 02, 03, 05, 07, 09, 11-20, 22, 33, 49-50, 52-53, 57, 58, 71-72</p>
Telephone Visits	<p>CPT: 98966-98968, 99441-99443</p>
E-visit/Virtual Check-In	<p>CPT: 98969-98972, 99421-99423, 99444, 99457</p> <p>HCPCS: G0071, G2010, G2012, G2061-G2063</p>

*Codes subject to change

***For the follow-up treatments, include an ICD-10 diagnosis for Alcohol or Other Drug Dependence from the Mental, Behavioral and Neurodevelopmental Disorder Section of ICD-10 along with a procedure code for the preventive service, evaluation, and management consultation or counseling service.**



[AmbetterHealth.com](https://www.AmbetterHealth.com)